

FIREBAN ACRYLIC WHITE Revision Number 2

Revision date 31-Mar-2020 Supersedes Date: 07-Nov-2019

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name FIREBAN ACRYLIC WHITE

Product Code(s) 30615088 30615088

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available

Details of manufacturer or importer

<u>Supplier</u> <u>Manufacturer</u>

Bostik Australia Pty Ltd Bostik Findley (Malaysia) Sdn. Bhd

51-71 High Street, Lot 112 & 113,

Thomastown Victoria Kawasan Perindustrian senawang, Australia seremban, negeri sembilian, Malaysia

Tel: 613 9279-9333 Tel: 606-6789788 Fax: 613 9279-9342 Fax: 606-6789766

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Based on available information, this material is classified as hazardous according to criteria of Safe Work Australia

Reproductive toxicity Category 2 - (H361)

Label elements

Health hazard



Australia - EN Page 1/8

FIREBAN ACRYLIC WHITE

Revision Number 2 Supersedes Date: 07-Nov-2019

Revision date 31-Mar-2020

Signal word

Warning

Hazard statements

H361 - Suspected of damaging fertility or the unborn child

Precautionary Statements - Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

Precautionary Statements - Response

P308 + P313 - IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

Harmful to aquatic life with long lasting effects

Toxic to aquatic life

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
Hexaboron dizinc undecaoxide	12767-90-7	0 - <10
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

FIRST AID

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Australia - EN Page 2/8

FIREBAN ACRYLIC WHITE

Revision Number 2 Supersedes Date: 07-Nov-2019

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

Suitable extinguishing media

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

No information available.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Revision date 31-Mar-2020

gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Ventilate the area.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove

contaminated clothing and shoes.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up.

Incompatible materialsNone known based on information supplied.

Australia - EN Page 3/8

FIREBAN ACRYLIC WHITE

Revision Number 2 Supersedes Date: 07-Nov-2019

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

Appropriate engineering controls

Showers **Engineering controls**

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection Wear suitable protective clothing.

Wear suitable gloves. **Hand protection**

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

> exceeded or irritation is experienced, ventilation and evacuation may be required. Wear a respirator conforming to EN 140 with Type A/P2 filter or better Organic gases and

Revision date 31-Mar-2020

vapors filter conforming to EN 14387

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Paste Color White Odor Odorless **Odor threshold** Not applicable

Property Values Remarks • Method

6.8

Melting point / freezing point No data available Boiling point / boiling range No data available Flash point No data available **Evaporation rate** No data available

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapor pressure No data available Vapor density No data available Relative density Water solubility No data available Solubility(ies) No data available **Partition coefficient** No data available No data available **Autoignition temperature Decomposition temperature** No data available Kinematic viscosity No data available

Australia - EN Page 4/8

FIREBAN ACRYLIC WHITE

Revision Number 2 Supersedes Date: 07-Nov-2019

Revision date 31-Mar-2020

Dynamic viscosity

Explosive properties

No data available
No information available

Oxidizing properties No information available

Other information

Solid content (%) No information available

VOC Content (%) 34 g/L

Density No information available

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical None. impact

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoidNone known based on information supplied.

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions.

Section 11: Toxicological information

Acute Toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms No information available.

Numerical measures of toxicity - Product Information

Australia - EN Page 5/8

FIREBAN ACRYLIC WHITE Revision Number 2

·

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hexaboron dizinc undecaoxide	>5000 mg/Kg (Rattus)	>5000 mg/Kg (Oryctolagus	-
		cuniculus)	

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation
No information available.

Serious eye damage/eye irritation
Respiratory or skin sensitization
No information available.

Germ cell mutagenicity
No information available.

Carcinogenicity
No information available.

Reproductive toxicity Contains a known or suspected reproductive toxin. The table below indicates ingredients

above the cut-off threshold considered as relevant which are listed as reproductive

Revision date 31-Mar-2020

Supersedes Date: 07-Nov-2019

toxins.

Component Information		
Hexaboron dizinc undecaoxide (12767-90-7)		
Method	Species	Results
OECD Test No. 408: Repeated Dose 90-Day	Rat in vivo	Reproductive toxicant NOAEL
Oral Toxicity Study in Rodents		375(female) /100 (male) mg/kg bw/day

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Aspiration hazard

No information available.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity .

Chemic	al name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Hexabor	on dizinc	IC50 Selenastrum	LC50 Oncorhynchus	-	LC50 Ceriodaphnia
undeca	aoxide	capricornutum: 0,136 mg	mykiss: 0,169 mg		dubia: 142 mg/L/48h
12767	-90-7	Zn/L/72 h	Zn/L/96h		

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Mobility

Australia - EN Page 6/8

FIREBAN ACRYLIC WHITE

Revision Number 2 Supersedes Date: 07-Nov-2019

Mobility in soil No information available.

Mobility No information available.

Other Adverse Effects

Other adverse effects No information available.

Endocrine Disruptor Information .

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

Revision date 31-Mar-2020

environmental legislation.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

IMDG Not regulated

Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Hexaboron dizinc undecaoxide	10 tonne/yr Threshold category 1
12767-90-7	

International Inventories

AICS
NZIOC
NOT Listed
ENCS
Not Listed
IECSC
Not Listed
KECL
PICCS
Not Listed
Not Listed
Not Listed

Legend:

Australia - EN Page 7/8

FIREBAN ACRYLIC WHITE Revision Number 2

evision Number 2 Supersedes Date: 07-Nov-2019

Revision date 31-Mar-2020

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 31-Mar-2020

Revision note

SDS sections updated. 2. 14.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 8/8